

The Ribbon Faucet


TSL.R.020

Deck mounted sensor operated faucet with robust body construction for all types of projects. Available mains or battery powered. To be used in conjunction with the Ribbon dryer and soap dispenser for optimum efficiency.

Finish		Codes	
•	Black	TSL.R.020.BK	
•	Brass	TSL.R.O2O.BR	
•	Satin	TSL.R.020.CS	
•	Copper	TSL.R.020.CP	
•	Chrome	TSL.R.020.C	
•	Bronze	TSL.R.020.BZ	













REV 09/15/24 USA: +1 310 410 5008 www.thesplashlab.com/usa info.usa@thesplashlab.com All things considered.

Technical Data

Minimum operating pressure	7 - 87 psi dynamic pressure
Flow rate	0.35 GPM or 0.5 GPM (Other flow rates available upon request)
Weight	2 lb 3 oz
Material	AISI 304 stainless steel
Sensor range	Preset 5" (adjustable). Min range 3" +/-20% - Max range 5.9" +/-20%
Comfort delay	2 seconds
Security cut-off time	60 seconds
Power supply - mains	Input: 100 - 240V; 50 - 60Hz
	Output: 6C DC; 0.5A; 3W max.

Installation Requirements

Counter-top cut-out (dia)	1 3/8" diameter
Maximum countertop thickness	13/8"
Anti-rotation collar	Included
Reflective surfaces	Not to be installed above highly polished basins or waste outlets
Access requirements	Solenoids, isolation valves and transformers must be accessible at all times for servicing
Cabling	3 amp fused spur to IP68 rated transformer; low voltage push fit connector to faucet
Power supply	For the mains power option, it is recommended that the sensors are installed on their own circuit to avoid interference from other power demands.

Compliance & Certificates

Compliance & Certificates		
ADA compliant		
ASME A112.18.1 / CSA 8125.1-2018 Plumbing Supply Fittings		
NSF/ANSI/CAN 61-2023 Drinking Water System Components - Health Effects		
NSF/ANSI 372-2022 Drinking Water System Components - Lead Content		
International Plumbing Code (IPC) - 2024, 2021, 2018, 2015, 2012 and 2009		
International Residential Code (IRC) - 2021, 2018, 2015, 2012 and 2009		
Uniform Plumbing Code (UPC) - 2021, 2018, 2015, 2012 and 2009		
National Plumbing Code of Canada (NPC) - 2020, 2015, 2010 and 2002		
LEED.v4 Compliant for assessment for Water Saving and Efficiency		
BREEAM 5 credits		
California Health and Safety Code 116875		
S.3874 Reduction of Lead in Drinking Water Act		

REV 09/15/24 USA: +1 310 410 5008 www.thesplashlab.com/usa info.usa@thesplashlab.com All things considered.

Included

The Ribbon Faucet

Ribbon sensor faucet head

Mains power supply

Solenoid valve

Anti-rotation plate #1

Counter top gasket

Anti-rotation plate #2

Fixing nut


Flow restrictor

Flex hose - 300mm

Not included

Sink

Premixed water (must be supplied prior to installation)



Warranty & Replacement Parts

TSL backs every fixture with a lifetime guarantee against material defect.

For warranty terms and conditions please visit www.thesplashlab.com/usa/warranty

 $For replacement \ parts, \ please \ contact \ The \ Splash \ Lab \ at \ info.usa@thesplashlab.com \ for \ further \ information.$

Part	Code	
Sensor Assembly	TSLP.230274	
Battery Pack	TSLP.230281	

Related Products



The Ribbon Soap Dispenser TSL.R.010



The Ribbon Hand Dryer TSL.R.030



The Ribbon Sink TSL.NANO.R

REV 09/15/24 USA: +1 310 410 5008 www.thesplashlab.com/usa info.usa@thesplashlab.com All things considered.